

OFFICE OF MEDICAL DIRECTOR G.T.B.HOSPITAL Govt. Of NCT of DELHI

GOVT OF NOT OF DELHA 4TH FLOOR, ISBT BUILDING KASMHERE GATE DELHI-110006

F. No.I/cBMWM/2/DPCC/PWD/GTBH/2019/Pt.file-II/

To,

Dated: 16/6/22

The Chairman, Delhi Pollution Control Committee, 4th floor, I.S.B.T.Building, Kashmere Gate, Delhi- 110006.

Sub. : - Annual Report of Bio- Medical Waste handled during the year 2021(1st January 2021 to 31st December 2021).

Sir,

Please find enclosed herewith the Annual Report in respect of this hospital for the year 2021 (1^{st} January 2021 – 31^{st} December 2021) of Bio-medical Waste Management in the prescribed performa for your information and necessary action please.

Yours faithfully,

Regards

Dr. Pratima Prasad

MO I/c (Biomedical Waste Management)

GTB Hospital.

POCO

SHOT ON POCO M2

disposal facilities	Type of treatment No.of Capacity Oty, treated
o i	Equipment units kg/day disposed in
	Kg/annum
	Incinerators - Plasma
	Pyrolysis – Plasma
	h 0
	Microwave 07 60ltr/one 5445kg/yr 30ltr/five
	10ltr/one
	Hydroclave -
	Shredder one 350kg/hr non operational
	Needle Tip cutter: Using
The security of	Or destroyer Hub cutter
	With
	Puncture
	Proof
	Container
	Sharps Encapsulation or concrete
	pit: NIL
	Deep burial pits: Nil
	Chemical *
	Disinfection: 1%hypochlorite &
	Cidex
	Any other treatment Equipment:
	Sharp Blaster in Casualty.
200 0 0 0	Red Category (like plastic, glass etc.)
(iii) Quantity of recyclable	NIL
wastes sold to authorized recyclers after	AMOUNT OF THE PARTY OF THE PART
treatment in kg per annum.	
(iv) No of vehicles used for	06 loading covered trolleys for Yellow Category Waste
collection	06 loading covered trolleys for Red Category Waste
and transportation of biomedical	
waste	
Masic	Quantity Where generated disposed
	Incineration Ash :NIL
(v) Details of incineration ash and	ETP Sludge :
ETP sludge generated and	
disposedduring the treatment of	
wastes in Kg per annum	
vi) Name of the Common Bio-	M/s SMS water Grace Pvt. Ltd.
	Delhi Jal Board STP Complex, Nilothi
Medical Waste Treatment	New Delhi-110041
acility Operator through which	M/s SMS water Grace Pvt. Ltd. Delhi Jal Board STP Complex, Nilothi New Delhi-110041 Read THIRD Complex Comp
astes aredisposed of	AN MOST LES WILL
	Str Bio Visito
	V. 10 40 190

	Octails trainings conducted on BMW (i) Number of trainings conducted on BMW Management (ii) number of personnel trained		: 10					
	(iii) number of personnel trained at the time of induction		: 150					
	(iv) number of personnel not undergone any training so far	v	: -					
	(v) whether standard manual for training is available?	+1	Yes					
	(vi) any other information)							
DUR.	Details of the accident occurred during the year		Needle stick Injury, Blood splash					
	(i) Number of Accidents occurred		112					
	(ii) Number of the persons affected		112					
	(iii) Remedial Action taken (Please attach details if any)		Counselling & medication at ART clinic.					
	(iv) Any Fatality occurred, details.		nil					
ou.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NA .					
	Details of Continuous online emission monitoring systems installed		NA					
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		ETP in place.					
11			Meeting the standards					
12	1 6	1	(Air Pollution Control Devices attached with the Incinerator)Boiler is running on PNG.					

fied that the above report is for the period from1st January 2021 to 31st December 2021.

Name and Signature of the Head of the Institution

Date: Place: Do you have bio-medical waste
Management committee? If yes,
attachminutes of the meetings held
during the reporting period.

YES

Realina Profesion Bollings

/	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)				Yellow Category :109117kg Red Category :121498 kg			
					too category .121470 kg			
					White:2673 kg			
					Blue Category :17968 kg			
					General Solid waste:900MT/Y			
	Details of the Storage, treatment, transportation, processing and Disposal Facility							
-	(i) Details of the on-site storage facility	3	Size :14.5'x25' (LxW) for Yellow category waste. : 14.5'x25' (LxW) for Red category was cubic feet, :35'x40'x13'=18200cubic feet, :17'x17'x12'=3612.5cubic feet. Capacity :2000kg (yellow category Waste),800 kg (red category waste),5083kg/18200/3612 cubic fee for general waste.					
	*		Provisi any oti	ion of	Fon-site storage : (cold storage or ovision): Nil			

FETTERS TO THE SERVICE

2 111-11

Redders FRAFE

Form - IV (See rule 13) ANNUAL REPORT

To be submitted to the prescribed authority on or before 30th June every year for the period from Januaryto December of the preceding year, by the occupier of health care facility (HCF) or common biomedical waste treatment facility (CBWTF)]

0.	Particulars			1		
+	Particulars of the Occupier :		<u></u>			
	(i) Name of the authorised person (occupier or : operator of facility)			DR. SUBHASH GIRI MEDICAL DIRECTOR		
	(ii) Name of HCF or CBMWTF	:	GURU	U TEG BAHADUR HOSPITAL		
*	(iii) Address for Correspondence	:	Guru	Teg Bahadur Hospital Dilshad		
	(iii) Address for Correspondence		garde	n, Delhi-110095		
	(iv) Address of Facility		garde	Guru Teg Bahadur Hospital,Dilshad garden, Delhi-110095 2281730,22581928		
	(v)Tel. No, Fax. No	1				
	(vi) E-mail ID	:	msgt	bh@nic.in n.delhigovt.nic.in		
	Add LIRI of Website					
	(viii) GPS coordinates of HCF or GBMWTF		functional			
	(ix) Ownership of HCF or CBMWTF	1	Gov	t.of NCT of Delhi		
	The state of the s	1		No.		
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules		DI	PCC/BMW/Auth/New o./2019/04624.Dt.19/04/2019		
			vz	alid up to 21/06/2023		
	The Ast and A	ir :		alid up to:03/06/2023		
	(xi). Status of Consents under Water Act and		1			
	Act					
2.	Type of Health Care Facility		: N	No. of Beds:1512		
201	(i) Bedded Hospital			ot applicable		
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory Research Institute or Veterinary Hospital or a other) (iii) License number and its date of expiry	or	: 1	Not applicable M/s SMS Water Grace Pvt. Ltd.		
	TOTAL COUNTRY OF THE PARTY OF T	-	:	Not applicable		
3.	(i) Number healthcare facilities covered					
-	CBMWTF CBMWTF			•		
	(ii) No of beds covered by CBMWTF			-		
100	(iii) Installed treatment and disposal capacity of CBMWTF:		:	Kg/day		
1			-	Not applicable		
200	(iv) Quantity of biomedical waste treated or disp by CBMWTF	osed	:	Kg/day		